, PCB terminals, Socket, 7.0 mm, 2-pole, DC Plug/Socket



## Description

- PCB :
- Drop-in type , rear-side
- Low Voltage DC Plug and Socket
- Audio entrances and exits
- Data and Signal transfer
- DC Plug: 2-pole , straight

## **Technical Data**

Diameter	7.0 mm / 4.0 mm / 1.45 mm	
Number of Poles	2-pole	
Ratings DC	2A/18VDC	
Dielectric Strength	500 VDC	
Insulation Resistance	> 100 MΩ @ 500 VDC	

See below: Approvals and Compliances

## References

Substitute for type 4840.2231

## Weblinks

pdf data sheet, html datasheet, General Product Information, Distributor-Stock-Check, Detailed request for product

Allowable Operation Tempe- rature	-20°C to 70°C
Terminal	PCB terminals silver plated
Mounting	Drop-in type
Style	straight
Lifetime	5000 Insertions

#### **Approvals and Compliances**

Detailed information on product approvals, code requirements, usage instructions and detailed test conditions can be looked up in Details about Approvals


SCHURTER products are designed for use in industrial environments. They have approvals from independent testing bodies according to national and international standards. Products with specific characteristics and requirements such as required in the automotive sector according to IATF 16949, medical technology according to ISO 13485 or in the aerospace industry can be offered exclusively with customer-specific, individual agreements by SCHURTER.

#### Compliances


The product complies with following Guide Lines

Identification	Details	Initiator	Description
COMPLANT	RoHS	SCHURTER AG	Directive RoHS 2011/65/EU, Amendment (EU) 2015/863
<b>©</b>	China RoHS	SCHURTER AG	The law SJ / T 11363-2006 (China RoHS) has been in force since 1 March 2007. It is similar to the EU directive RoHS.
REACH	REACH	SCHURTER AG	On 1 June 2007, Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorization and Restriction of Chemicals 1 (abbreviated as "REACH") entered into force.

## **Dimensions** [mm]



## Diagrams





#### **All Variants**

Product group	Diameter [mm]	Number of Poles	Terminal	Order Number
DC Plug/Socket	7.0	2-pole	PCB terminals	4840.2232

Availability for all products can be searched real-time: https://www.schurter.com/en/info-center/support-tools/stock-checkdistributors

Packaging unit

400 Pcs

#### Mating Inlets/Plugs

Category / Description

# 

#### DC Plugs / Sockets Overview complete

, solder terminal, Plug, 6.5 mm, 2-pole, DC Plug/Socket	4840.1230
, Cable, Plug, 6.5 mm, 2-pole, DC Plug/Socket	4840.5230
, Cable, Plug, 6.5 mm, 2-pole, DC Plug/Socket	4840.5231